Product name:	Product code:
C Type Power Press	Power Press0001



Description

C Type Power Press

Technical specification

What are the features of ‘C’ Type Power Press?

Its advanced PLC (programmable logic controller) control makes the C Type Power Press Machine give a highly efficient performance. The machinery is fabricated with Innovative safety dual valve and Vibration free wide body frame which makes the machine perform its specialized services for a longer period of time. The craft shaft made of steel is located vertically with a compact structure that undergoes high quenching for a high- caliber operation. Due to the hard steel clutch, the power press machine functions excellently and requires less maintenance.
Accessories of ‘C’ Type Power Press

- Knock out system
- Tow hand operated clutch
- Slide adjusting spanner
- Oil cups for lubrication point
- Electric motor, starter, and V- belts
- Motor pulley
- Fly wheel
- Gear guard
- Automatic lubrication pump
- Additional base plate
- Single and continuous stroke
- Disposable type

Crank Shaft Dia.	51	60	76	83	105	121	134	152	158	165
Stroke Adj.	6-25	6-25	13-51	13-63	13-76	115	127	152	158	165
Hole in Ram	25	25	32	38	38	45	51	57	63	63
Hole in Bed	63	76	83	89	127	127	178	191	216	229
Dist. Bed to Ram	153	205	280	292	406	483	483	495	519	544
Stroke Per Minute	85	75	60	60	55	50	45	40	30	30
LxWof Bed	305x178	381x255	508 x 305	558 x 356	750 x 520	863x596	914x635	965 x 685	1016 x 736	1067 x 778
Fly Wheel Dia.	405	435	550	660	810	910	1016	1118	1150	1320
H.P. Require	0.5	1	2	3	5	7.5	10	15	20	25

NAUGRA®

Civil Laboratory Equipment Manufacturers and Suppliers India Civil Lab Exportrs India

Email us at: export@civilmechanicalindia.com