NAUGRA®

Product name:	Product code:
Vocational Center Lathe Machine	VOC-MET-0001



Description

Vocational Center Lathe Machine

Technical specification

Spindle Sleeve (Taper Bore) MT-5

Spindle Bore 75 to 200 mm

Taper Bore in Center Sleeve MT-5

Threads & Range (1 to 6 mm pitch) 13 Inch

Threads & Range (2 to 24 TPI) 19

Ram Travel 225 mm

Bed Length 2100 to 12000 mm

Bed Width 450 mm

No. of Speeds 8 Range (RPM) 30 to 325

Cross Slide Travel 375 to 450 mm

Length of Gap in Bed 250 mm

Swing over Gap 1000 to 1150 mm

Lead Screw Diameter & Pitch 50 mm / 2TPI Metric

Motor (1440 R.P.M. / 440V. / AC-3 Phase) 5 H.P. to 7.5 H.P.

Standard Accessories:-

Steady Rest, Follow, Chuck Plate, Spindle Sleeve, Rest, Face Plate, 2 Nos. Dead Center, Change Gear Set, Tool Post Spanner, Switch Stand.

Optional Accessories:-

Rear Tool Post, Electric Motor, True Chuck, Dog Chuck, Reversible Switch, V-Belt, Electrical Coolant Pump with Fittings, Machine Lamp,

Extra Center Height, Extra Spindle Hollow.