Product name:	Product code:
COD Digester	ANL-COD-0001



Description

COD Digester

Technical specification

Uniform And Stable Heating

New Compact Size

Technical Specification:

Controller Microprocessor Based Digital Temperature Indicator cum Controller

display LED with set value (SV) and Process value (PV)

BLOCK DIMENSIONS (WXDXH) (in mm) 270mm(L) X 150mm(W) X 70mm(D)

Heater Load 1.0 KW

Tube Cavity 40mm(Ø) x 65mm(D)

No. of Cavaties 15 holes to accommodate 15 samples

Glass Tube Size Supplied with 15 nos. of Glass Tubes of size 38mm(Ø) x 200mm (Length)

Glass Air Condenser Size Supplied with 15 nos. of air condensers of 600 mm length each.

Sample Size 20 ml

Temperature Range Ambient +5° C to 150° C

Temperature Accuracy ±1° C

Sensor RTD (Pt-100)

Material External Powder Coated CRC Steel

Block Polished Aluminium

Tube Rack 1 No.

Timer (SAD) (Auto Time Control Unit) Fitted with Automatic Digital Minute Timer which starts automatically when set/desired value of temperature is achieved.

When the set time period is over the heaters get switched off automatically.

Buzzer Alarm for cycle end

Power Supply 230V AC, 50/60Hz

NAUGRA®

Civil Laboratory Equipment Manufacturers and Suppliers India Civil Lab Exportrs India

Email us at: export@civilmechanicalindia.com