

Product Name :
Characteristic Variables of Hydraulic Turbomachines

Product Code :
Fluid Equipments0039



Description :

Characteristic Variables of Hydraulic Turbomachines

Technical Specification :

Characteristic Variables of Hydraulic Turbomachines

- Determining characteristic variables of a centrifugal pump
- Experiments on a pump in a closed water circuit with storage tank and flow control valve to adjust the back pressure

- Experiments on turbines: closed water circuit for supplying turbines
- Pipes and fittings made of PVC
- 3-phase AC motor for pump with variable speed via frequency converter
- Non-contact speed measurement at the turbine shaft and force sensor at the brake for measuring the torque
- Digital displays for pressures, flow rate, speed and torque

Technical Data

Standard centrifugal pump

- Max. head: 23,9m
- Max. flow rate: 31m³/h

Drive motor with variable speed

- Power output: 2,2kW
- Speed range: 0...3000min⁻¹
- Storage tank: 250L

Measuring ranges

- Pressure: 2x 0...4bar abs.
- Flow rate: 0...40m³/h
- Torque: 0...20Nm
- Speed: 2x 0...4000min⁻¹

Civil Mechanical India

Website: www.civilmechanicalindia.com, **Email:** export@civilmechanicalindia.com

Address: 6148/6, Guru Nanak Marg, Ambala Cantt, Haryana, India, **Phone:** +91-0171-2643080, +91-0171-2601773
