

Product Name :
Extra Heavy Duty All Geared

Product Code :
GLM0009



Description :
Extra Heavy Duty All Geared

Technical Specification :

Geared bed

550mm bed

		Head centre
		860 mm
		Swing over bed
		8300 mm
		Swing over saddle
		8000 mm
		Swing over slide
		870 mm
		1350 mm gap
		Length of gap in face plate
		365 mm
		No. of spindle speed.
		8
		Spindle speed range
		26 to 275 RPM
		Taper in middle sleeve
		MT 5
		Spindle hollow
		104 mm
		Spindle set size
		Bayonet
		No. of British threads
		28
		Range of British threads
		11 to 22 TPI
		No. of Metric threads
		22
		Range of Metric threads
		0.75 to 16 mm
		No. of feeds
		28
	0.2 to 3.0 mm/rev	Range of Long feeds

	0.003 to 0.050 transverse feeds
	50.8 mm X 2 TPI.
	905 mm
	Tail stock spindle diameter
	MT 6 Taper in Tail Stock Spindle
	560 mm Cross slide travel
	200 mm Compound slide travel
	210 mm Tail stock slide travel
	38 X 36 mm Tool holder size
	200 x 200 Tool post size

0.03 to 0.15 transverse feeds

50.8 and 50.2 TPI.

Tail stock spindle diameter

Taper in Tailstock Spindle

Crossed in travel

Compound 209 did not travel

Tail stock 210 mentravel

To 38 x 38 kn size

Too ~~big~~ ^{big} at ~~200~~ ²⁰⁰ are

Civil Mechanical India

Website: www.civilmechanicalindia.com, **Email:** export@civilmechanicalindia.com

Address: 6148/6, Guru Nanak Marg, Ambala Cantt, Haryana, India, **Phone:** +91-0171-2643080, +91-0171-2601773