

Product Name :
Flexural Testing Machine

Product Code :
Construction0003



Description :

Flexural Testing Machine

Technical Specification :

Flexural Testing Machine

Flexural Testing Machine from Civil Mechanical Laboratory India

The machine consists of a motorized load frame. The lower platen has

two rollers, the distance between which is adjustable. For 150 mm x 150 mm x 700 mm beam, Flexural Testing Machine for Civil Engineering from Laboratory Equipment Manufacturers India - the centre distance between the rollers is 600 mm, while it is 400 mm for beams of size 100 mm x 100 mm x 500 mm. The upper platen has also a pair of rollers whose distance adjustable. It is 200 mm centre to centre, for 150 mm x 150 mm x 700 mm size beam and 133 mm for 100 mm x 100 mm x 500 mm size beam. Total capacity of the machine is 100 KN. 150mm dia pressure gauge of 0-100 KN x 1 KN least count to indicate load is fixed on the load frame. A separate electrically cum hand operated pumping unit housed in a cabinet is supplied. On/Off switch and a slow/fast lever to control rate of loading are fitted on the front panel of the pumping unit. A facility for hand operation is provided. A micro switch and relay fitted inside the pressure gauge protect the unit from over loading.

Hand operated version consists of a load frame. A small hand pumping unit is attached to the load frame. Since this is a hand operated light weight machine. It is useful for field laboratory also.

Optional Accessories at Extra Cost.

- Spare Oil seal
- Hydraulic Oil (tin of 5 ltrs)
- Beam Mould 10 X 10 X 50 cm
- Beam Mould 15 X 15 X 60 cm
- Beam Mould 15 X 15 X 70 cm
- Beam Mould 15 X 15 X 75 cm
- Trowel

Concrete Scoop

Civil Mechanical India

Website: www.civilmechanicalindia.com, **Email:** export@civilmechanicalindia.com

Address: 6148/6, Guru Nanak Marg, Ambala Cantt, Haryana, India, **Phone:** +91-0171-2643080, +91-0171-2601773