

Product Name :
Proctor Compaction Apparatus

Product Code :
Soil0034



Description :

Proctor Compaction Apparatus

Technical Specification :

Proctor Compaction Apparatus

Proctor Compaction Apparatus from Civil Mechanical Laboratory India

Proctor Compaction Apparatus 1000 CC :- It will be made of Mild steel having capacity of 1000 cc with an internal diameter of 100 ± 0.1 mm and an internal effective height of $127.3 \text{ cm} \pm 0.1$ mm. Proctor Compaction Apparatus for Civil Engineering from Laboratory Equipment Manufacturers India - The mould will be fitted with a detachable base plate and removable extension collar approximately 60 mm high. The internal surface of the mould will be smooth.

Light Rammer:- 2.6 Kg x 310 mm fall. A metal chrome plated rammer having 50 mm dia. Circular and weighing 2.6 kg. The rammer will be equipped with a suitable arrangement for controlling the drop to the specified height of 310 mm.

2250 cc:- It will be made of Mild steel having capacity of 2250 c.c with an internal diameter of 150 ± 0.1 mm and an internal effective height of $127.3 \text{ cm} \pm 0.1$ mm. The mould will be fitted with a detachable base plate and removable extension collar approximately 60 mm high. The internal surface of the mould will be smooth.

Heavy Rammer:- 4.89 Kg x 450 mm fall. A metal chrome plated rammer having 50 mm dia. Circular and weighing 4.89kg. The rammer will be equipped with a suitable arrangement for controlling the drop to the specified height of 450 mm

Civil Mechanical India

Website: www.civilmechanicalindia.com, **Email:** export@civilmechanicalindia.com

Address: 6148/6, Guru Nanak Marg, Ambala Cantt, Haryana, India, **Phone:** +91-0171-2643080, +91-0171-2601773